



INDEX



LSA3040R
015



LSA2041R
017



LSA6120R
019



LSA5080R
020




LSA8120R
021



DA9003NR
065



DA2011NR
067




DA7203DR
069



WA8003NR
071



SA3040R/T03
075



LSA9080R
023



LSD3060R
025



LLA2218S
027



LSB2223S
029



LSA2206S
031



SA3060R/T23
077



SA8120R/T23
079



SD3060R/T03
081



WA3150NR
085



WA3100DR
087



LLB2292S
033



LPA5030R
035



LPA9081R
037



DA9803DR
041



DA9803NR
043



WA8150DR
089



WA9100DR
091



WA9100NR
093



PA5030NR
001097



PA9081NR
099



DA9803DSW
045



DA9803NSW
047



DA9823DS
049



DA3003RR
051




DA5033NS
053



DG1420NS
101



LA1515R
103



LS1096
107



ODA3090NR
113



OLA3818S
115



DA4005NS
055



DA3203NS
057




DA9603NR
059



DW9603NR
061








DB8503NR
063





MAGNET SYSTEM series







Type	Size
LST-0.25M	250mm
LST-0.5M	500mm
LST-1M	1000mm
LST-2M	2000mm




LST-L02




LST-J02




LST-END





LST-C




LST-R




Type	Size
LDT-0.25M	250mm
LDT-0.5M	500mm
LDT-1M	1000mm
LDT-2M	2000mm




LDT-L02




LDT-J02




LDT-E02





LST-END




LST-C




Type	Size
LWT-0.25M	250mm
LWT-0.5M	500mm
LWT-1M	1000mm
LWT-2M	2000mm




LWT-L02




LWT-J02



LST-END






LST-C



CRI 90 2700K 3000K 4000K 5000K	LSA3040DR	LSA3060DR	LSA3080DR
	LED 5W/380lm	LED 12W /1000lm	LED 18W /1600lm
	LENS Δ 15° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
	DC 24V  IP20  NON DIM	DC 24V  IP20  NON DIM	DC 24V  IP20  NON DIM


Safety card clasp







	LSA2040R	LSA2041R	LSA2060R	LSA2061R
CRI 90	LED 5W /380lm	LED 5W /380lm	LED 12W /1000lm	LED 12W /1000lm
2700K	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
3000K	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°
4000K	DC 24V	DC 24V	DC 24V	DC 24V
5000K	IP20	IP20	IP20	IP20
	NON DIM	NON DIM	NON DIM	NON DIM









CRI 90	LSA6120R
2700K	LED 12W /1000lm
3000K	LENS Δ 12° 24° 36°
4000K	ADJUSTABLE 0-90°/ 355°
5000K	DC 24V
	IP20




CRI 90	LSA5080R
2700K	LED 12W /1000lm
3000K	LENS Δ 12° 24° 36°
4000K	ADJUSTABLE 0-90°/ 355°
5000K	DC 24V
	IP20






	LSA8101R	LSA8100R	LSA8120R
CRI 90			
2700K			
3000K			
4000K			
5000K			
LED 12W /1000lm	LED 12W /1000lm	LED 12W /1000lm	LED 25W /2300lm
LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°
DC 24V	DC 24V	DC 24V	DC 24V
IP20	IP20	IP20	IP20
NON DIM	NON DIM	NON DIM	NON DIM






	LSA9080R	LSA9100R
CRI 90		
2700K	LED 12W /1000lm	LED 18W /1600lm
3000K	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
4000K	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
5000K	DC 24V	DC 24V
	IP20	IP20
	NON DIM	NON DIM


Beam angle Changeable Spot Light




	LSD3060R	LSD3080R
CRI 90	LED 5W /450lm	LED 18W /1600lm
2700K	LENS Δ 15°-50°	LENS Δ 12°-55°
3000K	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
4000K	DC 24V	DC 24V
5000K	IP20	IP20
	NON DIM	NON DIM



CRI 90 2700K 3000K 4000K 5000K	LLA2206S	LLA2212S	LLA2218S
	LED 1Wx6 /500lm	LED 1Wx12 /1000lm	LED 1Wx18 /1600lm
	LENS △ 15° 20° 30°	LENS △ 15° 20° 30°	LENS △ 15° 20° 30°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V	DC 24V	DC 24V
	IP20	IP20	IP20
	NON DIM TRAC 1-10V	NON DIM TRAC 1-10V	NON DIM TRAC 1-10V







	LSB2269S	LSB2246S	LSB2223S
CRI 90	LED 21.6W /1500lm	LED 14.4W /1000lm	LED 7.2W /500lm
2700K	LENS △ 100°	LENS △ 100°	LENS △ 100°
3000K	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°
4000K	DC 24V	DC 24V	DC 24V
5000K	IP20	IP20	IP20
	NON DIMTRAIC1-10V	NON DIMTRAIC1-10V	NON DIMTRAIC1-10V

秩序 / 严谨 / 线条
Order / Strictness / Line




以矩形方正规则感来诠释商照的科学严谨性。
The scientific rigor of commercial lighting is explained by
the sense of rectangular regularity.






	LSA2218S	LSA2212S	LSA2206S
CRI 90	LED 1Wx18 /1600lm	LED 1Wx12 /1000lm	LED 1Wx6 /500lm
2700K	LENS Δ 15° 20° 30°	LENS Δ 15° 20° 30°	LENS Δ 15° 20° 30°
3000K	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°
4000K	DC 24V	DC 24V	DC 24V
5000K	IP20	IP20	IP20
	NON DIM TRAC 1-10V	NON DIM TRAC 1-10V	NON DIM TRAC 1-10V



	LLB2223S	LLB2246S	LLB2269S	LLB2292S
CRI 90	LED 7.2W /500lm	LED 14.4W /1000lm	LED 21.6W /1500lm	LED 28.8W /2000lm
2700K	LENS Δ 100°	LENS Δ 100°	LENS Δ 100°	LENS Δ 100°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	DC 24V	DC 24V	DC 24V	DC 24V
5000K	 IP20	 IP20	 IP20	 IP20
	  	  	  	  




	LPA4020NR	LPA5020NR	LPA6020NR
CRI 90	LED 5W /380lm	LED 12W /1000lm	LED 12W /1000lm
2700K	LENS $\triangle$ 15° 24° 36°	LENS $\triangle$ 12° 24° 36°	LENS $\triangle$ 12° 24° 36°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	DC 24V	DC 24V	DC 24V
5000K	 IP20	 IP20	 IP20
			




	LPA4030NR	LPA5030NR	LPA6030NR
CRI 90	LED 5W /380lm	LED 12W /1000lm	LED 12W /1000lm
2700K	LENS $\triangle$ 15° 24° 36°	LENS $\triangle$ 12° 24° 36°	LENS $\triangle$ 12° 24° 36°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	DC 24V	DC 24V	DC 24V
5000K	 IP20	 IP20	 IP20
			



BK WH SG GL Honeycomb louver Spread lens Soft lens




CRI 90 2700K 3000K 4000K 5000K	LPA9080NR	LPA9081NR	LPA9082NR
	LED 12W /1000lm	LED 12W /1000lm	LED 12W /1000lm
	LENS △ 12° 24° 36°	LENS △ 12° 24° 36°	LENS △ 12° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V	DC 24V	DC 24V
	IP20	IP20	IP20
	NON DIM	NON DIM	NON DIM




CRI 90 2700K 3000K 4000K 5000K	LPA9100NR	LPA9101NR
	LED 12W /1000lm	LED 12W /1000lm
	LENS △ 12° 24° 36°	LENS △ 12° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V	DC 24V
	IP20	IP20
	NON DIM	NON DIM


RECESSED CEILING LIGHT series




Accent Lighting




General Lighting




Adjustable Accent Lighting





Wallwasher







INSTALLATION




	DA9803DR	DA9804DR	DA9803DS	DA9804DS
CRI 90				
2700K	LED 7W /550lm	LED 12W /1000lm	LED 7W /550lm	LED 12W /1000lm
3000K	LENS Δ 15° 24° 36°	LED 18W /1600lm	LENS Δ 15° 24° 36°	LED 18W /1600lm
4000K	ADJUSTABLE 0-30°/355°	LENS Δ 15° 24° 36°	ADJUSTABLE 0-30°/355°	LENS Δ 15° 24° 36°
5000K	220-240V /50-60Hz	ADJUSTABLE 0-30°/355°	220-240V /50-60Hz	ADJUSTABLE 0-30°/355°
	IP20	IP20	IP20	IP20
	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI







CRI 90 2700K 3000K 4000K 5000K	DA9803NR	DA9804NR	DA9803NS	DA9804NS
	LED 7W /550lm	LED 12W /1000lm LED 18W /1600lm	LED 7W /550lm	LED 12W /1000lm LED 18W /1600lm
	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	□ IP20	□ IP20	□ IP20	□ IP20
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI






	DA9803DRW	DA9804DRW	DA9803DSW	DA9804DSW
CRI 90				
2700K	LED 7W /550lm	LED 12W /1000lm	LED 7W /550lm	LED 12W /1000lm
3000K	LENS Δ 15° 24° 36°	LED 18W /1600lm	LENS Δ 15° 24° 36°	LED 18W /1600lm
4000K	ADJUSTABLE 0-30°/355°	LENS Δ 15° 24° 36°	ADJUSTABLE 0-30°/355°	LENS Δ 15° 24° 36°
5000K	220-240V /50-60Hz	ADJUSTABLE 0-30°/355°	220-240V /50-60Hz	ADJUSTABLE 0-30°/355°
	IP20	IP20	IP20	IP20
	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI






CRI 90	DA9803NRW	DA9804NRW	DA9803NSW	DA9804NSW
2700K	LED 7W /550lm	LED 12W /1000lm	LED 7W /550lm	LED 12W /1000lm
3000K	LENS Δ 15° 24° 36°	LED 18W /1600lm	LENS Δ 15° 24° 36°	LED 18W /1600lm
4000K	NO ADJUSTABLE	LENS Δ 15° 24° 36°	NO ADJUSTABLE	LENS Δ 15° 24° 36°
5000K	220-240V /50-60Hz	NO ADJUSTABLE	220-240V /50-60Hz	NO ADJUSTABLE
	IP20	220-240V /50-60Hz	IP20	220-240V /50-60Hz
	NON DIM TRAC 1-10V DALI	IP20	NON DIM TRAC 1-10V DALI	IP20
		NON DIM TRAC 1-10V DALI		NON DIM TRAC 1-10V DALI








	DA9823DS	DA9833DS	DA9824DS	DA9834DS
CRI 90				
2700K	LED 7Wx2 / 1100lm	LED 7Wx3 / 1650lm	LED 12Wx2 / 2000lm	LED 12Wx3 / 3000lm
3000K	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LED 18Wx2 / 3200lm	LED 18Wx3 / 4800lm
4000K	ADJUSTABLE 0-30°/355°	ADJUSTABLE 0-30°/355°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
5000K	220-240V / 50-60Hz	220-240V / 50-60Hz	ADJUSTABLE 0-30°/355°	ADJUSTABLE 0-30°/355°
	IP20	IP20	IP20	IP20
	NON DIM, TRIAC, 1-10V, DALI	NON DIM, TRIAC, 1-10V, DALI	NON DIM, TRIAC, 1-10V, DALI	NON DIM, TRIAC, 1-10V, DALI








	DA3003RR	DA3003RS	DA3023RS	DA3033RS
CRI 90	LED 12W /1000lm	LED 12W /1000lm	LED 12Wx2 /2000lm	LED 12Wx3 /3000lm
2700K	LENS △ 12° 24° 38°	LENS △ 12° 24° 38°	LENS △ 12° 24° 38°	LENS △ 12° 24° 38°
3000K	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	□ IP20	□ IP20	□ IP20	□ IP20
	NON DIMTRAIC1-10VDALI	NON DIMTRAIC1-10VDALI	NON DIMTRAIC1-10VDALI	NON DIMTRAIC1-10VDALI







	DA5013NS	DA5023NS	DA5033NS
CR190	LED 12W /1000lm	LED 12Wx2 /2000lm	LED 12Wx3 /3000lm
2700K	LENS Δ 15° 30° 45°	LENS Δ 15° 30° 45°	LENS Δ 15° 30° 45°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20	IP20
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI




CRI 90 2700K 3000K 4000K 5000K	DA4001NS	DA4002NS	DA4005NS
	LED 2W /140lm	LED 2Wx2/280lm	LED 2Wx5 /790lm
	LENS Δ 15° 30° 45°	LENS Δ 15° 30° 45°	LENS Δ 15° 30° 45°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	☐ IP20	☐ IP20	☐ IP20
	☒ NON DIM ☒ TRAC ☒ 1-10V ☒ DALI	☒ NON DIM ☒ TRAC ☒ 1-10V ☒ DALI	☒ NON DIM ☒ TRAC ☒ 1-10V ☒ DALI





CRI 90 2700K 3000K 4000K 5000K	DA4010NS	DA4015NS
	LED 2Wx10 /1400lm	LED 2Wx15 /2100lm
	LENS Δ 15° 30° 45°	LENS Δ 15° 30° 45°
	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz
	☐ IP20	☐ IP20
	☒ NON DIM ☒ TRAC ☒ 1-10V ☒ DALI	☒ NON DIM ☒ TRAC ☒ 1-10V ☒ DALI







	DA3203NS	DA3206NS	DA3212NS
CR190	LED 1Wx3 /270lm	LED 1Wx6 /500lm	LED 1Wx12 /1000lm
2700K	LENS Δ 30°	LENS Δ 30°	LENS Δ 30°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	☐ IP20	☐ IP20	☐ IP20
	☐ NON DIM ☐ TRAC ☐ 1-10V ☐ DALI	☐ NON DIM ☐ TRAC ☐ 1-10V ☐ DALI	☐ NON DIM ☐ TRAC ☐ 1-10V ☐ DALI






	DA9603NR	DA9604NR	DA9605NR
CR190	LED 12W /1000lm	LED 18W /1600lm	LED 30W /2500lm
2700K	LENS △ 15° 24° 38° 45° 60°	LENS △ 15° 24° 38° 45° 60°	LENS △ 15° 24° 38° 45° 60°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	□ IP20	□ IP20	□ IP20
	   	   	   








a=1/4h		a=b
h	3m	4m
a	0.75m	1m
b	0.75m	1m




	DW9603NR	DW9603NR
CRI 90	LED 10W /700lm	LED 18W /1500lm
2700K	LENS Wallwasher	LENS Wallwasher
3000K	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20




	DB8503NR	DB8504NR	DB8505NR	DB8506NR
CRI 90	LED 7W /600lm	LED 12W /1 000lm	LED 18W /1 600lm	LED 24W /2200lm
2700K	LENS Δ 100°	LENS Δ 100°	LENS Δ 100°	LENS Δ 100°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
6000K	IP20	IP20	IP20	IP20
	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI









	DA9003NR	DA9004NR	DA9005NR
CR190	LED 7W /500lm	LED 12W /1000lm	LED 18W /1600lm
2700K	LENS △ 12° 24° 36°	LENS △ 12° 24° 36°	LENS △ 12° 24° 36°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	□ IP20	□ IP20	□ IP20
	   	   	   



	DA1011NR	DA2011NR	DA2012NR	DA2013NR
CR1 90	LED 3W /160lm	LED 3W /160lm	LED 5W /500lm	LED 7W /700lm
2700K	LENS Δ 15° 24° 36°	LENS Δ 8° 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	□ IP20	□ IP20	□ IP20	□ IP20
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI



	DA1021NR	DA7202DR	DA7203NR
CR190	LED 3W /160lm	LED 3W /160lm	LED 9W /800lm
2700K	LENS Δ 8° 15° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
3000K	NO ADJUSTABLE	ADJUSTABLE 0-20°/355°	ADJUSTABLE 0-20°/355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20	IP20
	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI	NON DIM, TRAC, 1-10V, DALI




	DA8003NR	DA8103NR	WA8003NR	WA8103NR
CR1 90	LED 3W /160lm	LED 5W /380lm	LED 3W /160lm	LED 5W /380lm
2700K	LENS Δ 10° 20° 30°	LENS Δ 15° 24° 36°	LENS Δ 10° 20° 30°	LENS Δ 15° 24° 36°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	DC700mA(2.8-3.4V)	DC150mA (36V typ.)
5000K	□ IP20	□ IP20	◇ IP20	◇ IP20
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI




TRACK LIGHT series







Honeycomb louver Spread lens Soft lens






CRI 90 2700K 3000K 4000K 5000K	SA3040R/T03	SA3060R/T03	SA3080R/T03	SA3100R/T03
	LED 5W /380 lm	LED 12W /1000lm	LED 18W /1600lm	LED 30W /2500lm
	LENS Δ 15° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	IP20	IP20	IP20	IP20
	NON DIM TRAC	NON DIM TRAC	NON DIM TRAC	NON DIM TRAC





CRI90 2700K 3000K 4000K 5000K	SA3060R/T23	SA3080R/T23	SA3100R/T23
	LED 18W /1600lm	LED 24W /2000lm	LED 35W /3000lm
	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	IP20	IP20	IP20
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI







	SA8101R/T23	SA8100R/T23	SA8120R/T23	SA8150R/T23
CRI 90				
2700K	LED 12W /1000lm	LED 12W /1000lm	LED 25W /2300lm	LED 32W /2800lm
3000K	LED 18W /1600lm	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
4000K	LENS Δ 15° 24° 36°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°
5000K	ADJUSTABLE 0-90°/355°	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	220-240V /50-60Hz	IP20	IP20	IP20
	IP20	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI




Beam angle Changeable Spot Light



	SD3060R/T03	SD3080R/T03
CRI 90	LED 7W /1000lm	LED 18W /1600lm
2700K	LENS Δ 15°-50°	LENS Δ 12°-55°
3000K	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz
5000K		
	IP20	IP20
	NON DIM TRAC	NON DIM TRAC



CEILING SURFACE LIGHT series





CRI 90 2700K 3000K 4000K 5000K	WA3150NR	WA3100NR	WA3080NR
	LED 35W /3000lm	LED 24W /2100lm	LED 18W /1600lm
	LENS  12° 24° 36°	LENS  12° 24° 36°	LENS  12° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	 IP20	 IP20	 IP20
	   	 	 







CRI 90 2700K 3000K 4000K 5000K	WA3060NR	WA3040NR
	LED 12W /1000lm	LED 5W /380lm
	LENS  12° 24° 36°	LENS  15° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz
	 IP20	 IP20
	 	






	WA3040DR	WA3060DR	WA3080DR	WA3100DR
CRI 90	LED 5W /380lm	LED 12W /1000lm	LED 18W /1600lm	LED 24W /2000lm
2700K	LENS Δ 15° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°	LENS Δ 15° 24° 36°
3000K	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°	ADJUSTABLE 0-90°/355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20	IP20	IP20
	NON DIM	NON DIM TRAC	NON DIM TRAC	NON DIM TRAC






	WA8101DR	WA8100DR	WA8120DR	WA8150DR
CRI 90	LED 12W /1000lm	LED 12W /1000lm	LED 25W /2300lm	LED 32W /2800lm
2700K	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°	LENS Δ 15° 24° 36°
3000K	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20	IP20	IP20
	NON DIM TRAC	NON DIM TRAC	NON DIM TRAC	NON DIM TRAC





	WA9080DR	WA9100DR
CRI 90	LED 12W /1000lm	LED 18W /1600lm
2700K	LENS Δ 12° 24° 36°	LENS Δ 12° 24° 36°
3000K	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
4000K	220-240V /50-60Hz	220-240V /50-60Hz
5000K	IP20	IP20
	NON DIM TRAC	NON DIM TRAC



CRI 90 2700K 3000K 4000K 5000K	WA9080NR	WA9081NR	WA9082NR
	LED 12W /1000lm	LED 12W /1000lm	LED 12W /1000lm
	LENS 12° 24° 36°	LENS 12° 24° 36°	LENS 12° 24° 36°
	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz


IP20



IP20



IP20



CRI 90 2700K 3000K 4000K 5000K	WA9100NR	WA9101NR	WA9102NR
	LED 12W /1000lm	LED 12W /1000lm	LED 12W /1000lm
	LENS 12° 24° 36°	LENS 12° 24° 36°	LENS 12° 24° 36°
	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°	ADJUSTABLE 0-90°/ 355°
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz

IP20



IP20






IP20








PENDANT LIGHTS

series



CRI 90 2700K 3000K 4000K 5000K	PA4030NR	PA5030NR	PA6030NR
	LED 5W /380lm	LED 9W /800lm	LED 12W /1000lm
	LENS △ 15° 24° 36°	LENS △ 15° 24° 36°	LENS △ 15° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	IP20	IP20	IP20
	NON DIM	NON DIM	NON DIM






CRI 90 2700K 3000K 4000K 5000K	PA4020NR	PA5020NR	PA6020NR
	LED 5W /380lm	LED 9W /800lm	LED 12W /1000lm
	LENS △ 15° 24° 36°	LENS △ 15° 24° 36°	LENS △ 15° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
	IP20	IP20	IP20
	NON DIM	NON DIM	NON DIM





CRI 90 2700K 3000K 4000K 5000K	PA9080NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI	PA9081NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI	PA9082NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI
CRI 90 2700K 3000K 4000K 5000K	PA9100NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI	PA9101NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI	PA9102NR LED 12W /1000lm LENS Δ 12° 24° 36° NO ADJUSTABLE 220-240V /50-60Hz IP20 NON DIM TRAC 1-10V DALI




RERNER LIGHT
series



	DG1420NS	DG1430NS	DG1440NS
CR190	LED 3W /160lm	LED 3W /160lm	LED 3W /160lm
2700K	LENS △ NA	LENS △ NA	LENS △ NA
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	220-240V /50-60Hz	220-240V /50-60Hz	220-240V /50-60Hz
5000K	□ IP20	□ IP20	□ IP20
	 NON DIM	 NON DIM	 NON DIM




LINE LIGHT series




CR190 2700K 3000K 4000K 5000K	LA1515R-010	LA1515R-030	LA1515R-050	LA1515R-100
	LED 1.5W /90lm	LED 4.5W /270lm	LED 7.5W /450lm	LED 15W /900lm
	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz
	 IP20	 IP20	 IP20	 IP20
	   	   	   	   







CRI 90 2700K 3000K 4000K 5000K	LA1717S-010	LA1717S-030	LA1717S-050	LA1717S-100
	LED 1.5W /90lm	LED 4.5W /270lm	LED 7.5W /450lm	LED 15W /900lm
	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz
	IP20	IP20	IP20	IP20








CRI 90 2700K 3000K 4000K 5000K	LA1010S-050	LA1010S-100
	LED 5W /270lm	LED 10W /570lm
	LENS Δ 110°	LENS Δ 110°
	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V /50-60Hz	DC 24V /50-60Hz
	IP20	IP20






	LS1030	LS1060	LS1096	LS1120
CRI 90	LED 3W /180lm	LED 6W /360lm	LED 10W /540lm	LED 14W /800lm
2700K	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°	LENS Δ 120°
3000K	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
4000K	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz	DC 24V /50-60Hz
5000K	IP44	IP44	IP44	IP44
	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI	NON DIM TRAC 1-10V DALI






4 10.5	CRI 90 RGB	LS2060RGB LED 14W LENS Δ 120° NO ADJUSTABLE DC 24V /50-60Hz IP44
	CRI 90 2700K 6000K	LS2120DC LED 14W LENS Δ 120° NO ADJUSTABLE DC 24V /50-60Hz IP44





OUTDOOR LIGHT series




CRI 90 2700K 3000K 4000K 5000K	ODA3050NR	ODA3090NR	ODA3100NR
	LED 3W /160lm	LED 5W /380lm	LED 9W /800lm
	LENS $\triangle$ 15° 24° 36°	LENS $\triangle$ 15° 24° 36°	LENS $\triangle$ 15° 24° 36°
	NO ADJUSTABLE	NO ADJUSTABLE	NO ADJUSTABLE
	DC 24V  IP67 IK10	DC 24V  IP67 IK10	DC 24V  IP67 IK10
  			




CRI 90 2700K 3000K 4000K 5000K	ODA3090DR	ODA3100DR	 Honeycomb louver  Spread lens  Soft lens
	LED 5W /380lm	LED 9W /800lm	
	LENS  15° 24° 36°	LENS  15° 24° 36°	
	ADJUSTABLE 0-20°	ADJUSTABLE 0-20°	
	DC 24V	DC 24V	
 IP67 IK10	 IP67 IK10		
    	    		





Each set of line strips has a maximum length of 5 meters
Please ensure that it is carried out in case of power failure during installation and maintenance.



	OLA3818S	OLA3809S	OLA3806S
CRI 90	LED 24W /1800lm	LED 12W /900lm	LED 8W /600lm
2700K	LENS Δ 8° 12° 20° 30° 45° 10x60°	LENS Δ 8° 12° 20° 30° 45° 10x60°	LENS Δ 8° 12° 20° 30° 45° 10x60°
3000K	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°	ADJUSTABLE 0-90°
4000K	DC 24V	DC 24V	DC 24V
5000K	IP65	IP65	IP65
RGB	NON DIM	NON DIM	NON DIM
	TRAC	TRAC	TRAC
	1-10V	1-10V	1-10V
	DALI	DALI	DALI